

L Number	Hits	Search Text	DB	Time stamp
-	1128	(717/124 or 717/125 or 717/127 or 717/129 or 717/132).class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:11
-	8234532	window\$1 or screen\$1 or interface\$1 or device\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:11
-	5222278	display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:12
-	125804	(variable\$1 or register\$1) near6 (status or state\$1 or condition\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:12
-	165477	(debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 19:14
-	15477	(halt\$3 or stop\$4 or interrupt\$3) near3 execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:12
-	3328	PFG or CFG or (flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:13
-	1241456	(display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4) NEAR5 (window\$1 or screen\$1 or interface\$1 or device\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:13
-	22308	((variable\$1 or register\$1) near6 (status or state\$1 or condition\$1)) near5 (display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:13
-	11787	((display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4) NEAR5 (window\$1 or screen\$1 or interface\$1 or device\$1)) and (((variable\$1 or register\$1) near6 (status or state\$1 or condition\$1)) near5 (display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 19:16
-	3794	((debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near3 execution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:13
-	546	((display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4) NEAR5 (window\$1 or screen\$1 or interface\$1 or device\$1)) and (((variable\$1 or register\$1) near6 (status or state\$1 or condition\$1)) near5 (display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4)) and (((debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near3 execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:52
-	0	6598180.URPN.	USPAT	2004/06/07 18:14

-	38602	(interact\$3 or visual\$2) with (debug\$4 or test\$3)	USPAT; US-PGPUB; EPO; JPO	2004/06/07 18:14
-	4479	((interact\$3 or visual\$2) with (debug\$4 or test\$3)) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:14
-	9	((717/124 or 717/125 or 717/127 or 717/129 or 717/132).class) and break?point\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:15
-	155	((debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and break?point\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:15
-	21	(((((display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4) NEAR5 (window\$1 or screen\$1 or interface\$1 or device\$1)) and (((variable\$1 or register\$1) near6 (status or state\$1 or condition\$1)) near5 (display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4))) and (((debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near3 execution))) and (PFG or CFG or (flow adj graph\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/07 18:15
-	24	(((((display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4) NEAR5 (window\$1 or screen\$1 or interface\$1 or device\$1)) and (((variable\$1 or register\$1) near6 (status or state\$1 or condition\$1)) near5 (display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4))) and (((debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near3 execution))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/132).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:15
-	3	6275956.URPN.	USPAT	2004/06/07 18:15
-	8	6412106.URPN.	USPAT	2004/06/07 18:15
-	9	6195676.URPN.	USPAT	2004/06/07 18:15
-	17	5671351.URPN.	USPAT	2004/06/07 18:15
-	17	5671351.URPN.	USPAT	2004/06/07 18:15
-	13	5983366.URPN.	USPAT	2004/06/07 18:15
-	66	((interact\$3 or visual\$2) with (debug\$4 or test\$3)) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1) and (((display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4) NEAR5 (window\$1 or screen\$1 or interface\$1 or device\$1)) and (((variable\$1 or register\$1) near6 (status or state\$1 or condition\$1)) near5 (display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4))) and (((debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near3 execution)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:15
-	4	5784552.URPN.	USPAT	2004/06/07 18:15
-	2	6295613.URPN.	USPAT	2004/06/07 18:29

-	77	(717/132).class and (717/129).class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:53
-	25	((717/132).class and (717/129).class) and (717/124).class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 19:12
-	21	((debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and (control adj flow adj graph\$1) and (breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 19:18
-	5	((debug\$4 or test\$3 or examin\$3) near5 (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and (control adj flow adj graph\$1) and (breakpoint\$1 or (break adj point\$1))) and ((display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4) NEAR5 (window\$1 or screen\$1 or interface\$1 or device\$1)) and (((variable\$1 or register\$1) near6 (status or state\$1 or condition\$1)) near5 (display\$3 or monitor\$3 or examin\$3 or watch\$3 or output\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 19:17
-	19	("3593300"   "3614715"   "3648253"   "4073005"   "4099235"   "4183083"   "4394727"   "4484274"   "4494188"   "4633387"   "4747130"   "4800521"   "4809170"   "4837676"   "4845665"   "4890257"   "4939507"   "4951192"   "5050070").PN.	USPAT	2004/06/08 17:37
-	1	("5179702").PN.	USPAT; US-PGPUB; EPO; JPO	2004/06/08 17:39

L Number	Hits	Search Text	DB	Time stamp
-	215005	(debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:39
-	23447	((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:38
-	6708	((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:26
-	499	((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1)) and (breakpoin\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:27
-	7	((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1)) and (breakpoin\$1 or (break adj point\$1)) and (flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:27
-	31513	((interactive\$2 or visual\$2) near5 (debug\$4 or monitor\$3 or test\$3))	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:39
-	10879	((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((interactive\$2 or visual\$2) near5 (debug\$4 or monitor\$3 or test\$3))	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:40
-	457	((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((interactive\$2 or visual\$2) near5 (debug\$4 or monitor\$3 or test\$3)) and ((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:40

-	69	(((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((interactive\$2 or visual\$2) near5 (debug\$4 or monitor\$3 or test\$3))) and ((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1))) and (((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1))) and (breakpoin\$1 or (break adj point\$1)))	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:42
-	5	((((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((interactive\$2 or visual\$2) near5 (debug\$4 or monitor\$3 or test\$3))) and ((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1))) and (((debug\$4 or monitor\$3 or test\$3) with (executable\$1 or code\$1 or program\$1 or module\$1 or object\$1 or applicaton\$1)) and ((display\$3 or show\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or examin\$3 or watch\$3 or monitor\$3) near5 (status or state\$1 or condition\$1) near5 (variable\$1 or register\$1 or parameter\$1 or argument\$1))) and (breakpoin\$1 or (break adj point\$1)))) and (flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/07 19:42

L Number	Hits	Search Text	DB	Time stamp
-	132410	(test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:19
-	29343	((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:44
-	773902	((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:38
-	47995	((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:39
-	28742	((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:07
-	5229	((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:09
-	3849	((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1)) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:09
-	1681	((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1)) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:09

-	551	((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1)) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1)) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:10
-	5	((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1)) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1)) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using)) and ((control or data or program) adj flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:10
-	166	((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1)) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1)) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using)) and ((break adj point\$1) or breakpoint\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:11

-	230	(717/129).class and (((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1)) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1)) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using)) and ((break adj point\$1) or breakpoint\$1)))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:13
-	12	((717/129).class and (((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1)) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1)) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1)) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using)) and ((break adj point\$1) or breakpoint\$1))) and ((control or data or program) adj flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:13
-	74	((test\$3 or debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and (717/124).class	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:20
-	9778	(debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:24
-	1503	((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1)))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:24
-	1184	((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1)))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:27



-	683	(((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))) and (717/129).clss	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:28
-	52	(((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))) and (717/129).clss	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:41
-	232	(((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 10:41
-	36	(((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using)) and (717/124 or 717/125 or 717/127 or 717/129 or 717/132).clss	USPAT; US-PGPUB; EPO; JPO	2004/06/08 11:17
-	770	(717/124).clss (format\$4 near5 display\$3 near5 variable\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 11:18

-	15	((717/124).class (format\$4 near5 display\$3 near5 variable\$1)) and ((((((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using)))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 11:19
-	5	(((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))) and ((value\$1) near5 (variable\$1 or register\$1) near5 (chang\$3 or modifi\$3 or modify\$3 or use\$1 or using))) and ((control or data or program) adj flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 12:33
-	55	((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and (717/124).class	USPAT; US-PGPUB; EPO; JPO	2004/06/08 13:27
-	767	(control or data or program) adj flow adj graph\$1	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:45
-	3	(((debug\$4) NEAR6 (execut\$5 or program\$1 or code\$1 or object\$1 or module\$1 or application\$1) ) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and (717/124).class) and ((control or data or program) adj flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 13:27
-	93	5175856.URPN.	USPAT	2004/06/08 13:36
-	430	(interactive or visual\$2) near4 debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:38
-	29	((interactive or visual\$2) near4 debug\$4) and (717/124).class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:20

-	288	((interactive or visual\$2) near4 debug\$4) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:39
-	57509	(breakpoint\$1 or (break adj point\$1)) or ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:40
-	176	((((interactive or visual\$2) near4 debug\$4) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((breakpoint\$1 or (break adj point\$1)) or ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1))))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:40
-	32	((((interactive or visual\$2) near4 debug\$4) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((breakpoint\$1 or (break adj point\$1)) or ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1)))) and (717/129 or 717/124).class	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:41
-	73	((((interactive or visual\$2) near4 debug\$4) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((breakpoint\$1 or (break adj point\$1)) or ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1)))) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:44
-	5	(((((interactive or visual\$2) near4 debug\$4) and ((graphical\$2 or display\$3 or out?put\$4 or watch\$3 or monitor\$3) near4 (device\$1 or screen\$1 or window\$1 or interface\$1 or program\$1 or terminal\$1 or system\$1))) and ((breakpoint\$1 or (break adj point\$1)) or ((halt\$3 or stop\$4 or interrupt\$3) near5 (execution\$1 or program\$1 or code\$1)))) and ((display\$3 or monitor\$3 or \$2present\$3 or analyz\$3 or inspect\$3 or watch\$3 or examin\$3 or observ\$3 or record\$3) near6 (variable\$1 or register\$1 or program\$1 or execut\$5 or code\$1) near6 (status or state\$1))) and ((control or data or program) adj flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 15:46

L Number	Hits	Search Text	DB	Time stamp
-	12981	debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:13
-	601087	((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:15
-	33752	((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:20
-	15248	((variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:19
-	33752	((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:19
-	93752	((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:23
-	307138	variable\$1 with (chang\$4 or us\$3 or writ\$3 or read\$3 or modif\$7 or updat\$3 or access\$3 or refer\$4)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 18:26
-	1905	(interact\$5 or visual\$7) SAME debug\$4	USPAT; US-PGPUB; EPO; JPO	2004/06/08 18:27
-	66616	("345").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:28
-	181	((interact\$5 or visual\$7) SAME debug\$4) and (("345").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:29
-	731	((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:29
-	404	((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:29

-	127	(((((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))) and ((interact\$5 or visual\$7) SAME debug\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:30
-	4	(((((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))) and ((interact\$5 or visual\$7) SAME debug\$4)) and ("345").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:01
-	27	(((((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))) and ((interact\$5 or visual\$7) SAME debug\$4)) and (717/124 or 717/125 or 717/129 or 717/127 or 717/132).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:08
-	2008	flow adj graph\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:09
-	184	(flow adj graph\$1) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:09
-	102	((flow adj graph\$1) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:09
-	59	((flow adj graph\$1) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:10
-	48	((flow adj graph\$1) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))) and (variable\$1 with (chang\$4 or us\$3 or writ\$3 or read\$3 or modif\$7 or updat\$3 or access\$3 or refer\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:10

L Number	Hits	Search Text	DB	Time stamp
-	601087	(indicat\$3 or show\$3 or display\$3) near10 (status or state\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:15
-	33752	(variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:16
-	33752	((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:19
-	307138	variable\$1 with (chang\$4 or us\$3 or writ\$3 or read\$3 or modif\$7 or updat\$3 or access\$3 or refer\$4)	USPAT; US-PGPUB; EPO; JPO	2004/06/08 18:26
-	1905	(interact\$5 or visual\$7) SAME debug\$4	USPAT; US-PGPUB; EPO; JPO	2004/06/08 18:27
-	66616	("345").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:28
-	181	((interact\$5 or visual\$7) SAME debug\$4) and (("345").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:29
-	731	((((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:29
-	404	((((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:29
-	127	(((((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))) and ((interact\$5 or visual\$7) SAME debug\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:30
-	4	(((((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))) and ((interact\$5 or visual\$7) SAME debug\$4)) and (("345").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:01

-	27	(((((variable\$1 or parameter\$1) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) same ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))) and ((interact\$5 or visual\$7) SAME debug\$4)) and (717/124 or 717/125 or 717/129 or 717/127 or 717/132).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:08
-	184	(flow adj graph\$1) and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:19
-	22	5165036.URPN.	USPAT	2004/06/09 10:20
-	12981	debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:14
-	15248	(variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:21
-	93752	((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:16
-	2008	flow adj graph\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:17
-	9	5165036.URPN. and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))	USPAT	2004/06/09 10:32
-	2	(5165036.URPN. and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and ((variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:21
-	0	((5165036.URPN. and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and ((variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) ))) and (flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:22
-	0	((5165036.URPN. and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and ((variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) ))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))) and (flow adj graph\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:22

-	2	((5165036.URPN. and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and ((variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) ))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:23
-	2	((5165036.URPN. and (debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1))) and ((variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) ))) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:23
-	660612	(variable\$1 or parameter\$1 or argument\$1) with (chang\$4 or us\$3 or writ\$3 or read\$3 or modif\$7 or updat\$3 or access\$3 or refer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:40
-	7	(debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and ((variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1)) and (flow adj graph\$1) and ((variable\$1 or parameter\$1 or argument\$1) with (chang\$4 or us\$3 or writ\$3 or read\$3 or modif\$7 or updat\$3 or access\$3 or refer\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:51
-	6958	(variable\$1 or parameter\$1 or argument\$1) with (chang\$4 or us\$3 or writ\$3 or read\$3 or modif\$7 or updat\$3 or access\$3 or refer\$4) with value with (status or state\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:42
-	38	(debug\$4 near10 (execut\$5 or code\$1 or program\$1 or module\$1 or object\$1 or application\$1)) and ((variable\$1 or parameter\$1) near10 ((indicat\$3 or show\$3 or display\$3) near10 (status or state\$1) )) and (((halt\$3 or stop\$4 or interrupt\$3) near7 (execut\$5 or code\$1 or program\$1)) or breakpoint\$1 or (break adj point\$1)) and ((variable\$1 or parameter\$1 or argument\$1) with (chang\$4 or us\$3 or writ\$3 or read\$3 or modif\$7 or updat\$3 or access\$3 or refer\$4)) and ((variable\$1 or parameter\$1 or argument\$1) with (chang\$4 or us\$3 or writ\$3 or read\$3 or modif\$7 or updat\$3 or access\$3 or refer\$4) with value with (status or state\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:44
-	2	("5165036").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:40
-	22	5165036.URPN.	USPAT	2004/06/09 14:29
-	2	("4730315").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:40